



## ***World Of Lights Lighting Factory***

### ***Leaves LED Lighting***

**Add :** Lefeng 8th Road,Sansha Industrial Park,  
Henglan Town, Zhongshan City, Guangdong Province, China.

**Tel :** +86-760-22530838

**E-mail :** sales@wol-lighting.com

**Web :** <http://www.wol-lighting.com>

**1 . Vicky Yuen**

Mobile/Wechat/Whatsapp :13326929500

Skype:vicky-zhen83

E-mail:vicky\_yuen@wol-lighting.com

**3 . Cherry Mai**

Mobile/Wechat/Whatsapp: 18928190670

Skype:cherrymai26

E-mail:cherry\_mai@wol-lighting.com

**2 . Helen Ou**

Mobile/Wechat/Whatsapp :13702453170

Skype:helen-wol


E-mail:helen\_ou@wol-lighting.com

**4 . Peggy Yuen**

Mobile/Wechat/Whatsapp: 13528224756

Skype:peggy yuen

E-mail:peggy\_yuen@wol-lighting.com




**2018/2019**



**NEW Product Catalogue**

***Patent Design***


LED Smart Light ————— P1 - 5



LED Commercial Light ————— P6 - 13




LED Decorative Lights ————— P14 - 23



Classic Decorative Light ————— P24 - 29



**LED smart Cabinet light-Wireless**



※ **Advantages&Details**

Smart Touch Switch



Easy to install without tools, and no need hole for wiring



Flexible light source for different light angle



The light can twist 360° angle



Easy to use the light and connect according to your need



convenient for charging



Drawing					
Item	AML001-1W	AML003-1W	AML002-1W	KGMZ-12V	CDMZ-12V
Size	54*54*9mm	68*53*123mm	60*53*65mm	L50*W55*H31mm	L50*W55*H31mm
Lumen Flux	100LM	100LM	100LM	/	/
Rate Voltage	DC12V	DC12V	DC12V	DC12V 1A	DC15V 1A
Material	ABS	ABS	ABS	ABS	ABS
Remark	/	/	/	1-2hrs charging time	1-2hrs charging time



YDSL011-0.5W



YDSL013-1.5W



YDSL012-1W

The lighting are focused and can be used as supplementary light.

360 degree swivel head

Strong magnet without tool installation

Long-time endurance



Strong magnet at the back side



The light can use about 20hrs after full charge

USB diversified charging

Side button switch



Power USB interface charging



Mobile power charging



Adapter charging



Output charging interface



PC switch button



Emergency Light



Camping



Outdoor party



Fixed tool

Item : YDSL011-0.5W  
Power : MAX 0.5W  
Chips : Epistar  
Color Temperature : 3000K/4000K/6000K  
Luminous Flux : 50lm  
Light body size : L82\*W40\*H80 mm  
Protection grade : IP20  
Battery capacity : 400mAH  
Emergency time : MIN 3h  
Charging time : 1-2h  
Rated voltage current : DC5V 1A  
Material : ABS

Item : YDSL012-1W  
Power : MAX 1W  
Chips : Epistar  
Color Temperature : 3000K/4000K/6000K  
Luminous Flux : 100lm  
Light body size : L142\*W40\*H80 mm  
Protection grade : IP20  
Battery capacity : 1200mAH  
Emergency time : MIN 4h  
Charging time : 2-3h  
Rated voltage current : DC5V 1A  
Material : ABS

Item : YDSL013-1.5W  
Power : MAX 1.5W  
Chips : Epistar  
Color Temperature : 3000K/4000K/6000K  
Luminous Flux : 150lm  
Light body size : L202\*W40\*H80 mm  
Protection grade : IP20  
Battery capacity : 1800mAH  
Emergency time : MIN 4h  
Charging time : 3-5h  
Rated voltage current : DC5V 1A  
Material : ABS



*One Lamp in multi-occasions*

Item : SHYL001-1W  
Power : MAX 1W  
Colour temperature : 3000K/4000K/6000K  
Luminous Flux : 100 lm  
CRI : RA>80  
Rated voltage current : DC5V 1A



Table Lamp



Mirror Lamp



Cabinet Lamp




Reading Lamp




Portable Lamp



Control On/Off by Gesture



 Simulate a natural sunrise  
let you wake up refreshed

 Simulated sunset  
let you Fall asleep relaxed



Awakening: Brightness gradually from 0 to 100%, from warm light to neutral sunlight (3000K to 4500K).

Sleep Aid: Brightness gradually from 50% to fully dark. Colour temperature from 4500K to 3000K.



10% brightness 3000K



50% brightness 3500K

100% brightness 4500K

**tuya**<sup>®</sup>



<b>Item :</b>	HZXL001-24W	HZTL001-20W	HZTL002-20W	HZTL003-20W
<b>Power :</b>	MAX 24W	MAX 20W	MAX 20W	MAX 20W
<b>Colour Temperature :</b>	3000K~6000K	3000K~6000K	3000K~6000K	3000K~6000K
<b>Luminous Flux :</b>	1680 lm	1400 lm	1200 lm	1200 lm
<b>CRI :</b>	RA>80	RA>80	RA>80	RA>80
<b>Light body size :</b>	Φ330*61 mm	L200*W117*H290 mm	Φ290*160 mm	Φ260*250 mm
<b>Connection :</b>	WIFI	WIFI	WIFI	WIFI
<b>Controller :</b>	Mobile phone, TmallGenie,Amazon echo, Google Home Mini	Mobile phone, TmallGenie,Amazon echo, Google Home Mini	Mobile phone, TmallGenie,Amazon echo, Google Home Mini	Mobile phone, TmallGenie,Amazon echo, Google Home Mini
<b>Voltage current :</b>	AC100-240V 50/60Hz	AC100-240V 50/60Hz	AC100-240V 50/60Hz	AC100-240V 50/60Hz



The 90° rotary head can meet different lighting needs.



Touch switch, dimming and convenient operation solve the limited life problem of mechanical switch.



Flexible magnetic structure



<b>Item :</b>	XZTL001-3W
<b>Power :</b>	MAX 3W
<b>Chips :</b>	Epistar
<b>Colour Temperature :</b>	3000K/4000K/6000K
<b>Luminous Flux :</b>	240lm
<b>Protection grade :</b>	Ip20
<b>Battery capacity :</b>	1100mAH
<b>Emergency time :</b>	MIN 2h
<b>Charging time :</b>	1-2h
<b>Rated voltage current :</b>	DC5V 1A
<b>Material :</b>	ABS

The magnetic suction installation way, safe for using and convenient to move.



One thing is multi-purpose, desk lamp, chandelier dual-use, scene switch convenient.



**LED Commercial Light**



Linear Scheme without Driver supply.  
Single terminal voltage AC 220V

Item	Watt.	Lamp size(mm)	Beam angle	Beam diameter	Lumen	CRI
DWA421-5W	5W	ø100*36mm	ø80	100°	≥275lm	≥80
DWA422-9W	9W	ø115*40mm	ø90	100°	≥540lm	≥80
DWA423-12W	12W	ø140*40mm	ø115	100°	≥720lm	≥80



Voltage:AC100-240V

Item	Watt.	Lamp size(mm)	Beam angle	Lumen	CRI
DWA451-3*-5W	5W	ø86*H60	110°	≥350lm	≥80
DWA452-3.5*-7W	7W	ø100*H67	110°	≥525lm	≥80
DWA453-4*-12W	12W	ø120*H80	110°	≥900lm	≥80
DWA454-5*-15W	15W	ø154*H90	110°	≥1200lm	≥80
DWA455-6*-18W	18W	ø170*H100	110°	≥1440lm	≥80
DWA456-8*-24W	24W	ø210*H120	110°	≥1920lm	≥80



Voltage:AC100-240V

Item	Watt.	Lamp size(mm)	Beam angle	Beam diameter	Lumen	CRI
DWA441-2.5*-5W	5W	ø100*42mm	ø70	60°	≥350lm	≥80
DWA442-3*-7W	7W	ø110*46mm	ø80	60°	≥590lm	≥80
DWA443-3.5*-12W	12W	ø120*45mm	ø90	60°	≥1020lm	≥80
DWA444-4*-15W	15W	ø143*50mm	ø110	60°	≥1200lm	≥80
DWA445-5*-18W	18W	ø180*52mm	ø150	60°	≥1530lm	≥80
DWA446-6*-24W	24W	ø190*60mm	ø160	60°	≥1920lm	≥80
DWA447-8*-30W	30W	ø230*65mm	ø190	60°	≥2400lm	≥80




Voltage:AC100-240V

Item	Watt.	Lamp size(mm)	Beam angle	Beam diameter	Lumen	CRI
DWA431-2.5*-5W	5W	ø100*42mm	ø70	110°	≥250lm	≥80
DWA432-3*-7W	7W	ø110*46mm	ø80	110°	≥350lm	≥80
DWA433-3.5*-9W	9W	ø120*45mm	ø90	110°	≥450lm	≥80
DWA434-4*-12W	12W	ø143*50mm	ø110	110°	≥600lm	≥80
DWA435-5*-18W	18W	ø180*52mm	ø150	110°	≥1260lm	≥80
DWA436-6*-24W	24W	ø190*60mm	ø160	110°	≥1680lm	≥80
DWA437-8*-36W	36W	ø230*65mm	ø190	110°	≥2520lm	≥80



Voltage:AC200-240V  
ON or OFF dimmer CCT:3000K to 4500K to 6000K

Item	Watt.	Lamp size(mm)	Beam angle	Beam diameter	Lumen	CRI
DWA431WY-2.5*-3W	3W	ø100*42mm	ø70	110°	70lm/w	≥80
DWA432WY-3*-5W	5W	ø110*46mm	ø80	110°	70lm/w	≥80
DWA433WY-3.5*-7W	7W	ø120*45mm	ø90	110°	70lm/w	≥80
DWA434WY-4*-12W	12W	ø143*50mm	ø110	110°	70lm/w	≥80
DWA435WY-5*-15W	15W	ø180*52mm	ø150	110°	70lm/w	≥80
DWA436WY-6*-18W	18W	ø190*60mm	ø160	110°	70lm/w	≥80





Item	Watt.	Lamp size (mm)	Lumen	CRI
TKA201-12W	12W	68*183*143	≥85lm/w	≥80
TKA202-18W	18W	82*194*163	≥90lm/w	≥80
TKA203-30W	30W	90*204*169	≥90lm/w	≥80

Voltage:AC100-240V,50~60Hz  
▲ 15°/24°/36°



Item	Watt.	Lamp size (mm)	Lumen	CRI
TKA211-12W	12W	90*189	≥80lm/w	≥80
TKA212-15W	15W	99*202	≥80lm/w	≥80
TKA213-24W	24W	109*210	≥80lm/w	≥80

Voltage:AC100-240V,50~60Hz  
▲ 24°



Item	Watt.	Lamp size (mm)	Lumen	CRI
TKA221-12W	12W	68*187*148	≥80lm/w	≥80
TKA222-18W	18W	82*203*167	≥90lm/w	≥80
TKA223-30W	30W	90*218*174	≥90lm/w	≥80

Voltage:AC100-240V,50~60Hz  
▲ 15°/24°/36°



Item	Watt.	Lamp size (mm)	Lumen	CRI
TKA242-18W	18W	63*172*162	≥90lm/w	≥80
TKA243-30W	30W	88*196*183	≥95lm/w	≥80
TKA244-36W	36W	94*122*120	≥95lm/w	≥80

Voltage:AC100-240V,50~60Hz  
▲ 15°/24°/36°



Item	Watt.	Lamp size (mm)	Lumen	CRI
TKA261-12W	12W	50*171*154	≥75lm/w	≥80
TKA262-24W	24W	65*178*166	≥75lm/w	≥80
TKA263-36W	36W	79*226*212	≥75lm/w	≥80

Voltage:AC100-240V,50~60Hz  
▲ 15°/24°



Item	Watt.	Lamp size (mm)	Lumen	CRI
TKA271-12W	12W	68*140*160	≥60lm/w	≥80
TKA272-18W	18W	68*155*164	≥60lm/w	≥80
TKA273-30W	30W	68*179*163	≥60lm/w	≥80

Voltage:AC100-240V,50~60Hz  
▲ 15°



Item	Watt.	Lamp size (mm)	Lumen	CRI
TKA281-12W	12W	60*127*139	≥35~80lm/w	≥80
TKA282-18W	18W	81*144*176	≥35~80lm/w	≥80
TKA283-24W	24W	90*176*185	≥35~80lm/w	≥80
TKA284-36W	36W	90*187*191	≥35~80lm/w	≥80

Voltage:AC100-240V,50~60Hz  
▲ 15°~60°



Item	Watt.	Lamp size (mm)	Lumen	CRI
TKA231-12W	12W	74*147*144	≥85lm/w	≥80
TKA232-18W	18W	91*147*174	≥90lm/w	≥80
TKA233-30W	30W	91*147*168	≥90lm/w	≥80

Voltage:AC100-240V,50~60Hz  
▲ 15°/24°/36°



Item	Watt.	Lamp size (mm)	Lumen	CRI
TKA251-18W	18W	80*148*175	≥70lm/w	≥80
TKA252-30W	30W	100*189*196	≥90lm/w	≥80

Voltage:AC100-240V,50~60Hz  
▲ 15°/24°/36°



Voltage AC100-240V, 50~60Hz

Item	Watt.	Lamp size (mm)	Beam Angle	Lumen	CRI
LL0011-1200-20W	20W	L1200*W40*H55	110°	1200lm	≥80



Item	Watt.	Lamp size (mm)	Beam Angle	Lumen	CRI
LL0013-1200-60W	60W	L1200*W70*H55	110°	4200lm	≥80



Item	Watt.	Lamp size (mm)	Beam Angle	Lumen	CRI
LL0031-1200-40W	40W	L1200*W38*H60	160°	3800lm	≥80




Item	Watt.	Lamp size (mm)	Beam Angle	Lumen	CRI
LL004-WJA001-18W	18W	L1200*W55*H70	110°	≥1080lm	≥80
LL004-WJA002-24W	24W	L1200*W55*H70	110°	≥1440lm	≥80
LL004-WJA003-24W	24W	L1200*W55*H100	110°	≥1440lm	≥80
LL004-WJA004-24W	24W	L1200*W55*H150	110°	≥1440lm	≥80
LL004-WJA005-36W	36W	L1200*W55*H150	110°	≥2160lm	≥80



Item	Watt.	Lamp size (mm)	Beam Angle	Lumen	CRI
LL005-WJA012-18W	18W	L1200*W55*H70	110°	≥1080lm	≥80
LL005-WJA013-24W	24W	L1200*W55*H70	110°	≥1440lm	≥80
LL005-WJA014-24W	24W	L1200*W55*H100	110°	≥1440lm	≥80
LL005-WJA015-24W	24W	L1200*W55*H150	110°	≥1440lm	≥80
LL005-WJA016-36W	36W	L1200*W55*H150	110°	≥2160lm	≥80



Item	Watt.	Lamp size (mm)	Beam Angle	Lumen	CRI
LL006-WJA017-36W	36W	L1200*W55*W200	110°	≥2160lm	≥80
LL006-WJA018-48W	48W	L1200*W55*W200	110°	≥2880lm	≥80
LL006-WJA019-48W	48W	L1200*W55*W250	110°	≥2880lm	≥80
LL006-WJA020-60W	60W	L1200*W55*W250	110°	≥3600lm	≥80
LL006-WJA021-48W	48W	L1200*W55*W300	110°	≥2880lm	≥80
LL006-WJA022-60W	60W	L1200*W55*W300	110°	≥3600lm	≥80



Item	Watt.	Lamp size (mm)	Lumen	CRI
FLA064-50W	50W	L240*W210*H60	≥3000-3250lm	≥70
FLA065-100W	100W	L285*W255*H75	≥6000-6500lm	≥70
FLA066-150W	150W	L345*W310*H80	≥9000-9750lm	≥70
FLA067-200W	200W	L380*W349*H97	≥12000-13000lm	≥70

Voltage: AC:220-240V, 50/60Hz  
120°



Item	Watt.	Lamp size (mm)	Lumen	CRI
FLA041-30W	30W	L198*W188*H46	≥2400lm	≥80
FLA042-50W	50W	L238*W228*H46	≥4000lm	≥80
FLA043-100W	100W	L290*W280*H59	≥10000lm	≥80
FLA044-150W	150W	L330*W320*H65	≥15000lm	≥80
FLA045-200W	200W	L360*W350*H65	≥20000lm	≥80

Voltage: AC:100-240V, 50/60Hz  
120°




Item	Watt.	Lamp size (mm)	Beam Angle	Lumen	CRI
FLA041-100W	100W	ø280*150	60°	≥90-100LM/W	≥70
FLA042-150W	150W	ø320*150	60°	≥90-100LM/W	≥70
FLA043-200W	200W	ø360*165	60°	≥90-100LM/W	≥70

Voltage:AC:220-240V , 50/60Hz



Item	Watt.	Lamp size (mm)	Beam Angle	Lumen	CRI
FLA051-50W	50W	ø250*150	60°	≥90-100LM/W	≥70
FLA052-100W	100W	ø300*155	60°	≥90-100LM/W	≥70
FLA053-150W	150W	ø355*160	60°	≥90-100LM/W	≥70
FLA054-200W	200W	ø405*165	60°	≥90-100LM/W	≥70

Voltage:AC:220-240V , 50/60Hz



Item	Watt.	Lamp size (mm)	Beam Angle	Lumen	CRI
FLA031-100W	100W	ø267*150	90°	≥65-75LM/W	≥70
FLA032-150W	150W	ø310*150	90°	≥65-75LM/W	≥70
FLA033-200W	200W	ø350*160	90°	≥65-75LM/W	≥70

Voltage:Linear Scheme without Driver supply.  
Single terminal voltage AC 220V



Item	Watt.	Lamp size (mm)	Beam Angle	Lumen	CRI
FLA061-60W	60W	ø200*195	60°/90°/120°	≥110-120LM/W	≥80
FLA062-100W	100W	ø200*210	60°/90°/120°	≥110-120LM/W	≥80
FLA063-150W	150W	ø260*205	60°/90°/120°	≥110-120LM/W	≥80
FLA064-200W	200W	ø320*200	60°/90°/120°	≥110-120LM/W	≥80

Voltage:AC:100-240V , 50/60Hz



## *Led Pendant*



**Model No.:** 322630-5+5  
**Watt:** 78W  
**Finish:** Gold Leaf  
**Fixture Size:** L55\*W55\*H100CM  
**Material:** Aluminum, Iron, Silicon



**Model No.:** 322735-5A  
**Watt:** 46W  
**Finish:** White  
**Fixture Size:** L52\*W51\*H17CM  
**Material:** Aluminum, Iron, Crystal



**Model No.:** 322635-5  
**Watt:** 45W  
**Finish:** Silver Leaf  
**Fixture Size:** L55\*W55\*H17CM  
**Material:** Aluminum, Iron, Crystal




**Model No.:** 322736-6  
**Watt:** 64W  
**Finish:** Silver  
**Fixture Size:** L55\*W53\*H18CM  
**Material:** Aluminum, Iron, Crystal



**Model No.:** 322735-5  
**Watt:** 46W  
**Finish:** Silver  
**Fixture Size:** L52\*W51\*H17CM  
**Material:** Aluminum, Iron, Silicon


*Magic your home!*



**Model No.:** 322835-5  
**Watt:** 68W  
**Finish:** White  
**Fixture Size:** L59\*W57\*H100CM  
**Material:** Aluminum, Iron, Silicon



**Model No.:** 322834-4  
**Watt:** 65W  
**Finish:** Black  
**Fixture Size:** L62\*W62\*H100CM  
**Material:** Aluminum, Iron, Silicon




**Model No.:** 323082-1  
**Watt:** 47W  
**Finish:** Gold Leaf  
**Fixture Size:** L96\*W3.5\*H22CM  
**Material:** Aluminum, Iron, Silicon



**Model No.:** 323081-1  
**Watt:** 50W  
**Finish:** Silver Leaf  
**Fixture Size:** L96\*W3.5\*H22CM  
**Material:** Aluminum, Iron, Silicon



**Model No.:** 323333-3  
**Watt:** 75W  
**Finish:** Coffee  
**Fixture Size:** L58\*W58\*H100CM  
**Material:** Aluminum, Iron, Silicon



**Model No.:** 323324-4  
**Watt:** 63W  
**Finish:** Coffee  
**Fixture Size:** L64\*W64\*H18CM  
**Material:** Aluminum, Iron, Silicon



**Model No.:** 323124-4A  
**Watt:** 66W  
**Finish:** White  
**Fixture Size:** L75\*W75\*H13CM  
**Material:** Aluminum, Iron, Silicon



**Model No.:** 323124-4  
**Watt:** 48W  
**Finish:** Black  
**Fixture Size:** L54\*W54\*H13CM  
**Material:** Aluminum, Iron, Silicon



**Model No.:** 322931-2  
**Watt:** 48W  
**Finish:** Gold Leaf  
**Fixture Size:** L50\*W50\*H100CM  
**Material:** Aluminum, Iron, Crystal



**Model No.:** 323281-1  
**Watt:** 50W  
**Finish:** Silver  
**Fixture Size:** L40\*W40\*H35CM  
**Material:** Aluminum, Iron, Crystal



**Model No.:** 322932-2  
**Watt:** 48W  
**Finish:** Silver Leaf  
**Fixture Size:** L50\*W50\*H100CM  
**Material:** Aluminum, Iron, Crystal



**Model No.:** PD18351-3  
**Watt:** 45W  
**Finish:** White  
**Fixture Size:** φ50\*120CM  
**Material:** Acrylic



**Model No.:** PD18351-1  
**Watt:** 15W  
**Finish:** White  
**Fixture Size:** φ30\*120CM  
**Material:** Acrylic




**Model No.:** PD18551-1  
**Watt:** 15W  
**Finish:** White  
**Fixture Size:** φ25\*120CM  
**Material:** Acrylic



**Model No.:** PD18551-3  
**Watt:** 45W  
**Finish:** White  
**Fixture Size:** φ47.5\*120CM  
**Material:** Acrylic

## Led Wall Lamp



**Model No:** 323471-1  
**Watt:** 6W  
**Finish:** Champagne  
**Fixture Size:** L27.5\*W27.5\*H4.5CM  
**Material:** Aluminum, Iron, Acrylic



**Model No:** 323472-2  
**Watt:** 12W  
**Finish:** Champagne  
**Fixture Size:** L40\*W26.5\*H4.5CM  
**Material:** Aluminum, Iron, Acrylic



**Model No:** 323473-7  
**Watt:** 42W  
**Finish:** Silver  
**Fixture Size:** L61\*W49.5\*H4.5CM  
**Material:** Aluminum, Iron, Acrylic



**Model No:** 323771-1  
**Watt:** 9W  
**Finish:** Champagne  
**Fixture Size:** L27\*W25\*H4.5CM  
**Material:** Aluminum, Iron, Acrylic



**Model No:** 323772-2  
**Watt:** 18W  
**Finish:** Champagne  
**Fixture Size:** L40.5\*W27\*H4.5CM  
**Material:** Aluminum, Iron, Acrylic



**Model No:** 323773-3  
**Watt:** 27W  
**Finish:** Silver  
**Fixture Size:** L41\*W40\*H4.5CM  
**Material:** Aluminum, Iron, Acrylic



**Model No:** 323571-1  
**Watt:** 6W  
**Finish:** Silver  
**Fixture Size:** L33\*W21\*H6CM  
**Material:** Aluminum, Iron, Acrylic



**Model No:** 323572-2  
**Watt:** 18W  
**Finish:** Champagne  
**Fixture Size:** L58\*W34\*H6CM  
**Material:** Aluminum, Iron, Acrylic



**Model No:** 323573-5  
**Watt:** 30W  
**Finish:** Silver  
**Fixture Size:** L56\*W55\*H6CM  
**Material:** Aluminum, Iron, Acrylic



**Model No:** B201271-1  
**Watt:** 6W  
**Finish:** Sand White  
**Fixture Size:** L17\*W16\*H2.5cm  
**Material:** Aluminum, Acrylic



**Model No:** B201272-1  
**Watt:** 6W  
**Finish:** Sand White  
**Fixture Size:** L13.5\*W13.5\*H3cm  
**Material:** Aluminum, Acrylic



**Model No:** B201371-1  
**Watt:** 6W  
**Finish:** White  
**Fixture Size:** L21\*W10\*H10cm  
**Material:** Iron



**Model No:** B201471-1  
**Watt:** 4W  
**Finish:** Sand White  
**Fixture Size:** L10\*10\*2.8CM  
**Material:** Aluminum, Glass



**Model No:** B201472-1  
**Watt:** 5W  
**Finish:** Sand White  
**Fixture Size:** L20\*W10\*H2.8cm  
**Material:** Aluminum, Glass



**Model No:** B201571-1  
**Watt:** 3W  
**Finish:** Sand White  
**Fixture Size:** L15.5\*W7.5\*H4cm  
**Material:** Aluminum



**Model No:** B201572-2  
**Watt:** 6W  
**Finish:** Sand White  
**Fixture Size:** L23.5\*W7.5\*H8cm  
**Material:** Aluminum, Glass



**Model No:** B201573-2  
**Watt:** 6W  
**Finish:** Sand White  
**Fixture Size:** L16.5\*W10\*H8cm  
**Material:** Aluminum, Glass



**Model No:** B201574-2  
**Watt:** 10W  
**Finish:** Sand White  
**Fixture Size:** L20\*W10\*11CM  
**Material:** Aluminum, Glass



**Model No:** B201575-3  
**Watt:** 9W  
**Finish:** Sand White  
**Fixture Size:** L16.5\*W6\*H6cm  
**Material:** Aluminum



**Model No:** B201576-2  
**Watt:** 6W  
**Finish:** White  
**Fixture Size:** L6\*W8\*H6cm  
**Material:** Aluminum



**Model No:** B201577-2  
**Watt:** 6W  
**Finish:** Sand White  
**Fixture Size:** L9\*W9\*H4.5cm  
**Material:** Aluminum



**Model No:** B201671-2  
**Watt:** 2W  
**Finish:** White  
**Fixture Size:** L6\*W7\*H4.5cm  
**Material:** Aluminum



**Model No:** B201672-4  
**Watt:** 4W  
**Finish:** White  
**Fixture Size:** L7.5\*W8\*H5.5cm  
**Material:** Aluminum



**Model No:** B201673-6  
**Watt:** 6W  
**Finish:** Sand White  
**Fixture Size:** L12\*W12\*H5cm  
**Material:** Aluminum



**Model No:** B201674-2  
**Watt:** 6W  
**Finish:** Sand White  
**Fixture Size:** L22\*W12.5\*H6cm  
**Material:** Aluminum



**Model No:** B201675-2  
**Watt:** 6W  
**Finish:** Sand White  
**Fixture Size:** L20\*W17.5\*H6cm  
**Material:** Aluminum



**Model No:** B201676-1  
**Watt:** 5W  
**Finish:** Sand White  
**Fixture Size:** L17\*W17\*H8cm  
**Material:** Aluminum

*Classic Decorative Light*



**Model No.:** MD181038-4+4  
**Finish:** BLK+GOLD  
**Fixture Size:** Φ68\*69CM  
**Socket:** E27\*8



**Model No.:** MD181036-3+3  
**Finish:** BLK+GOLD  
**Fixture Size:** Φ60\*69CM  
**Socket:** E27\*6



**Model No.:** MD181136-6  
**Finish:** BLK+GOLD  
**Fixture Size:** Φ72\*63CM  
**Socket:** E14\*6



**Model No.:** MD181133-3  
**Finish:** BLK+GOLD  
**Fixture Size:** Φ60\*54CM  
**Socket:** E14\*3



**Model No.:** MD181335-5  
**Finish:** GOLD  
**Fixture Size:** Φ65\*50CM  
**Socket:** E27\*5



**Model No.:** MD181336-6  
**Finish:** GOLD  
**Fixture Size:** Φ70\*60CM  
**Socket:** E27\*6



**Model No.:** MD181371-1  
**Finish:** GOLD  
**Fixture Size:** W25\*L12\*H31CM  
**Socket:** E27\*1



**Model No.:** MD181235-5  
**Finish:** GOLD  
**Fixture Size:** Φ63\*45CM  
**Socket:** E27\*5



**Model No.:** MD181233-3  
**Finish:** GOLD  
**Fixture Size:** Φ55\*45CM  
**Socket:** E27\*3



**Model No.:** 4704  
**Finish:** SN  
**Fixture Size:** W73\*L16.5\*H25CM  
**Socket:** E27\*4



**Model No.:** 8912  
**Finish:** SN  
**Fixture Size:** Dia 16\*17CM  
**Socket:** E27\*1



**Model No.:** 4903  
**Finish:** BN  
**Fixture Size:** W54\*L20.5\*H28CM  
**Socket:** E27\*3



**Model No.:** 8910  
**Finish:** SN  
**Fixture Size:** Dia 46\*30CM  
**Socket:** E27\*3



**Model No.:** 4904  
**Finish:** BN  
**Fixture Size:** W83.5\*L20.5\*H28CM  
**Socket:** E27\*4



**Model No.:** 8903  
**Finish:** SN  
**Fixture Size:** W58\*L19\*H23CM  
**Socket:** E27\*3



**Model No.:** 4905  
**Finish:** BN  
**Fixture Size:** W114\*L20.5\*H28CM  
**Socket:** E27\*5



**Model No.:** 8905  
**Finish:** RBZ  
**Fixture Size:** W100.5\*L19\*H23CM  
**Socket:** E27\*5



Model No.: MD181451A-1  
Finish: GOLD  
Fixture Size: W36\*L20\*H57CM  
Socket: E27\*1



Model No.: MD181451B-1  
Finish: GOLD  
Fixture Size: W25\*L20\*H41CM  
Socket: E27\*1



Model No.: 323881-1 (Blue/Yellow)  
323882-1 (Pink)  
Fixture Size: W20\*L20\*H23CM  
Socket: E27\*1



Model No.: 323883-1  
Finish: White/Green  
Fixture Size: W25\*L25\*H30CM  
Socket: E27\*1

